



---

	.....	1
1	.....	4
1.1	.....	4
1.2	.....	4
2	.....	5
2.1	.....	5
2.2	.....	6
2.3	.....	6
2.4	.....	8
3	.....	10
3.1	.....	10
3.2	.....	12
4	.....	14
4.1	.....	14
4.2	.....	14
4.3	.....	15
4.4	.....	15
4.5	.....	15
4.6	.....	16
4.7	.....	18
4.8	.....	19
5	.....	20

---

5.1	.....	20
5.2	.....	20
5.3	.....	21
6	.....	22
6.1	.....	22
6.2	.....	23
6.3	.....	24
6.4	.....	24
6.5	.....	26
6.6	.....	26
6.7	.....	27
7	.....	28
7.1	.....	28
7.2	.....	28
7.3	.....	28
7.4	.....	29

---

2007

1.0

**BEIYANG®** **SN3C®**



---

**1**



**2**

1)

2)

3)

4)

5)

6)

7)

8)

9)

---

10)

11)

12)

13)

14)

15)


---

---

## 2

### 2.1

	203DPI
	230mm/s (Max.)
	Max. 80mm
	UPC-A    UPC-E    EAN-8    EAN-13    Coda bar Code39    ITF    Code128    Code93    Pdf417
	ASCII(12× 24)                  ASCII(9× 17) GB2312                  GB18030
	1-6
	(0°, 90°, 180°, 270°)



---

## 2.2

	600ns	
	2s	30 /
	0.065 0.1mm	
	24VDC	
	1.2A	24VDC
	200	*

\*

## 2.3



±


±

±

±

±

### 2.3.2






±

13mm


## 2.4

### 2.4.1



L1	83.5+0/-0.5mm	
L2	80mm	
L3		1.8± 0.3mm
L4		1.8± 0.3mm
L5	7mm	
L6	64mm	
L7	9mm	

## 2.4.2





---

**a)**

82.5± 0.5 mm    80.5± 0.5    57.5± 0.5 mm

**b)**

“O”

“\_”

**c)**

∅

FEED

∅

FEED

FEED

FEED

FEED

∅

FEED

**d)**

**e)**

**f)**

---

g)



±

### 3.2

1



2

	<b>ERROR</b>	<b>PAPER</b>	
			- -
			- -
			- -
			- -
			- -
			_____
			_____



±

65

---

# 4

## 4.1

## 4.2

1)


$\pm 10^\circ$

2)

3)

4)

5)




---

## 4.3

1)

2

3




±

## 4.4

1)

2)


3)



## 4.5

1

2






±

## 4.6

### 4.6.1


### 4.6.2 /



3)



±



**82.5±0.5mm**

**A 80±0.5mm**

**B 57.5±0.5mm**


±

±

---

## 4.7

1




:

±

±

C





---

## 5



±

±

±

±

1

### 5.1

1)

2)

3)

4)

### 5.2

1)

2)

3)

4)

---

## 5.3

Ø

Ø

1)

2)

3)

4)





---

19200bps 8

1

DTR/DSR

### 6.3

1)

USB1.1


USB B

USB HUB

2)

1	VBUS	+5V
2	DATA-	
3	DATA+	
4	GND	

3)



### 6.4

1)

Ø

10BASE-T

---

Ø Ethernet II

Ø

Ø 9100

Ø

Ø

Ø

Ø HTTP

2)

IEEE802.3 10BASE-T



---

## 6.5

1)

Ø 802.11b 802.11g  
Ø 9100 LPR  
Ø  
Ø  
Ø  
Ø HTTP


2)

Ø IP  
Ø ARP  
Ø ICMP  
Ø TCP  
Ø UDP  
Ø DHCP  
Ø TFTP  
Ø HTTP

USB

## 6.6

1	E
2	L
3	N





---

# 7

## 7.1



## 7.2

		7.4

## 7.3

---

## 7.4